#### **PATENT**

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

APPLICATION No.: 10/785,453

FILED:

FEBRUARY 23, 2004

For:

METHODS AND SYSTEMS FOR REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES EXAMINER:

STEPHEN A. HOLZEN

ART UNIT:

3644

CONF. NO:

8540

## Request for Refund (Improper Charge of Deposit Account)

MS 16 Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is a request for a refund, with respect to an improper charge to Deposit ——Account No. 50-0665, for the above-identified application (Attorney Docket 03004-8110US). The Deposit Account was improperly charged \$430.00 for a two-month extension of time fee with respect to a Response filed with the Office on October 7, 2004. For the reasons described below, an extension of time and the corresponding fee were not required.

On July 16, 2004, the Examiner mailed a Restriction Requirement (which is enclosed herewith) providing a shortened statutory period for reply of **3** months. On October 7, 2004, the undersigned attorney filed a Response to the Restriction Requirement, which is enclosed herewith. Because the Response was filed within the specified period of **3** months, no extension of time was necessary. Accordingly, the two-month extension of time fee charged to the Deposit Account No. 50-0665 was improper. Please refund \$430.00 to Deposit Account! No. 50-0665.

Attorney Docket No. 108298514US2 Disclosure No. 99-0798.02

Please contact David T. Dutcher at (206) 359-6465 with any questions.

Respectfully submitted,

Perkins Coie LLP

Date: Dec. 20,2004

David T. Dutcher

Registration No. 51,638

#### **Correspondence Address:**

Customer No. 25096 Perkins Coie LLP P.O. Box 1247 Seattle, Washington 98111-1247 (206) 359-8000



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMME United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450 www.uspio.gov

APPLICATION NO. FILING DATE

02/23/2004

FIRST NAMED INVENTOR

ATTORNEY DOCKET NO.

CONFIRMATION NO.

10/785,453

Jeffrey D. Crouch

030048110US

8540

25096

7590

07/16/2004

RECEIVED

**EXAMINER** HOLZEN, STEPHEN A

PERKINS COIE LLP **PATENT-SEA** 

P.O. BOX 1247 SEATTLE, WA 98111-1247 JUL 19 2004

ART UNIT

PAPER NUMBER

PERKINS COIE LLP

3644

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Commence	10/785,453	CROUCH ET AL.			
Office Action Summary	Examiner	Art Unit	<del></del>		
	Stephen A. Holzen	3644			
The MAILING DATE of this communication app Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION Extensions of time may be available under the provisions of 37 CFR 1.1	Y IS SET TO EXPIRE 3 M	ONTH(S) FROM	<b>s</b>		
after SIX (6) MONTHS from the mailing date of this communication.  If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	within the statutory minimum of thirt will apply and will expire SIX (6) MON cause the application to become AB	y (30) days will be considered timely. THS from the mailing date of this communi	icalion.		
Status	:				
1) Responsive to communication(s) filed on					
2a) This action is FINAL. 2b) This	action is non-final.				
3) Since this application is in condition for allowar			ts is		
closed in accordance with the practice under E	x parte Quayle, 1935 C.D.	11, 453 O.G. 213.			
Disposition of Claims	:				
4)⊠ Claim(s) <u>1-46</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdraw					
5) Claim(s) is/are allowed.	•				
6) Claim(s) is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) <u>1-46</u> are subject to restriction and/or e	lection requirement.				
Application Papers	•				
9) The specification is objected to by the Examiner					
10) The drawing(s) filed on is/are: a) acce	pted or b) objected to b	y the Examiner.			
Applicant may not request that any objection to the d	rawing(s) be held in abeyand	e. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction	on is required if the drawing(s	) is objected to. See 37 CFR 1.12	21(d).		
11) The oath or declaration is objected to by the Exa	aminer. Note the attached	Office Action or form PTO-152	2.		
Priority under 35 U.S.C. § 119	•				
12) Acknowledgment is made of a claim for foreign p a) All b) Some * c) None of	oriority under 35 U.S.C. §	119(a)-(d) or (f).			
,,,,,,					
<ul> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> </ul>					
3. Copies of the certified copies of the priorit					
application from the International Bureau		The state of the s			
* See the attached detailed Office action for a list o	f the certified copies not re	eceived.			
Attachment(s)  1) Notice of References Cited (PTO-892)	( )				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) 🔲 Interview Sui Paper No(s)/	nmary (PTO-413) Mail Date			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/S8/08) Paper No(s)/Mail Date		rmal Patent Application (PTO-152)			
S Patent and Trademark Office	o) [				

U.S Patent and Trademark Unice PTOL-326 (Rev. 1-04)

Office Action Summary

Part of Paper No./Mail Date 20040704

Art Unit: 3644

#### **DETAILED ACTION**

#### Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-38, drawn to an aircraft system, classified in class 244, subclass
   134R.
- II. Claims 39-46, drawn to a method of manufacturing a wiper system, classified in class 244, subclass 134R.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the process as claimed can be used to make other and materially different products.
- 3. Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.
- 4. Upon election of the above distinct groups the applicant is required to identify and elect a single species for examination. This application contains claims directed to

Application/Control Number: 10/785,453

Art Unit: 3644

patentably distinct species of the claimed invention as identified by the applicant in the specification found on pages 2-3.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement; and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen A. Holzen whose telephone number is 703-308-2484. The examiner can normally be reached on M-F 7:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Carone can be reached on 703 306-4198. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sah

Chr.

PTO/SB/21 (04-04) OMB 0651-0031

Under the Paperwork Reduction Act of 1995, no per	sons are required to res	U.S. Patent and Trader	mark Office; U.S. DEPARTMENT OF COMMER nation unless it displays a valid OMB control numb
		Application Number	10/785,453-Conf. #8540
TRANSMITTAL		Filing Date	February 23, 2004
FORM		First Named Inventor	Jeffrey D. Crouch
(to be used for all correspondence afte	r initial filing)	Art Unit	3644
(10 be used for all correspondence and	· madrining)	Examiner Name	S. A. Holzen
Total Number of Pages in This Submis	sion 10	Attorney Docket Numl	030048110US
E	CLOSURES	(Check all that ap	ply)
Fee Transmittal Form	Drawing(s)		After Allowance communication to Technology Center (TC)
Fee Attached	Licensing-rel	ated Papers	Appeal Communication to Board of Appeals and Interferences
X Amendment/Reply	Petition		Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
After Final	Petition to Co Provisional A		Proprietary Information
Affidavits/declaration(s)		ney, Revocation rrespondence Address	Status Letter
Extension of Time Request	Terminal Disc	claimer	Other Enclosure(s) (please Identify below):
Express Abandonment Request	Request for I	Refund	i
Information Disclosure Statement CD, No		of CD(s)	•
Certified Copy of Priority Document(s)			
Response to Missing Parts/ Incomplete Application	Remarks		:
Response to Missing Parts			:
under 37 CFR 1.52 or 1.53			
			•
SIGNATI	JRE OF APPLICA	NT, ATTORNEY, OR	RAGENT
Firm or Individual name PERKINS COIE LLF David T. Dutcher - 5			
Signature Dan VIII		······	•
Date Oct. 7,20	04		,
			,

	is being facsimile transmitted to the Patent and Trademark Office, facsimile no. (703) 872-
9306, on the date shown below.	Signature: Welos This (Melody Almberg)

### Certificate of Transmission Under:37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

Melody Almberg Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Amendment in Response to Restriction Requirement (10 pgs); PTO/SB/21 (1 pg); and

Certificate of Transmission under 37 CFR 1.8 (1 page).

I hereby certify that this correspondence is being transmitted via facsimile to the United States Patent and Trademark Office at (703) 872-9306, on:

Date: 10 7 04

By: Moled of Almbera

#### **PATENT**

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

EXAMINER: STEP

STEPHEN A. HOLZEN

APPLICATION No.:

10/785,453

ART UNIT:

FEBRUARY 23, 2004

CONF. NO:

3644 8540

FILED: FOR:

METHODS AND SYSTEMS FOR REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES

#### Amendment in Response to Restriction Requirement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated July 16, 2004, please amend the application as reflected in the following listing of claims.

#### Amendment to the Claims

Please cancel claims 39-46 without prejudice to pursuing these claims in a divisional, continuation, continuation-in-part, or other application. Please withdraw claims 8, 9, 13 and 14 without prejudice.

- 1. (Original) An aircraft system, comprising:
- an inlet housing having a lip;
- a wiper positioned at the lip and movable relative to the lip; and
- a drive assembly positioned at least partially within the inlet housing and operably coupled to the wiper, the drive assembly being configured to move the wiper relative to the inlet housing to remove material from at least a portion of the lip.
- 2. (Original) The system of claim 1 wherein:
- the inlet housing further includes an interior surface and an exterior surface radially outward of the interior surface;
- the wiper includes a first end portion at least proximate to the interior surface and a second end portion at least proximate to the exterior surface; and
- the system further comprises a first attachment device coupling the first end portion to the inlet housing and a second attachment device coupling the second end portion to the inlet housing.
- 3. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper; and
- the drive assembly includes an annular member coupled to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the inlet housing.

- 4. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper;
- the drive assembly includes an annular member coupled to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the inlet housing; and

the annular member includes a strap, a cable, a chain, and/or a ring.

- 5. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper; and
- the drive assembly includes a cart movable within the inlet housing and operably coupled to the attachment device to move the first end portion of the wiper.
- 6. (Original) The system of claim 1 wherein:
- the wiper includes a first end portion and a second end portion opposite the first end portion;
- the system further comprises an attachment device coupled to the first end portion of the wiper, the attachment device having a first magnet; and
- the drive assembly includes a cart having a second magnet and being movable relative to the inlet housing, the first and second magnets being positioned to interact so that the attachment device moves with the cart.
- 7. (Original) The system of claim 6 wherein the wiper is configured to fail at a force less than a force required to dislodge the attachment device.

- 8. (Withdraw) The system of claim 1 wherein:
- the wiper includes a first end portion coupled to the drive assembly and a second end portion opposite the first end portion; and
- the system further comprises a drag member having a first portion coupled to the second end portion of the wiper and a second portion opposite the first portion, the drag member being movable between a stowed position and a deployed position, with the second portion of the drag member being unsecured to the inlet housing when the drag member is in the deployed position.
- 9. (Withdraw) The system of claim 1 wherein:
- the wiper includes a first end portion coupled to the drive assembly and a second end portion opposite the first end portion;
- the system further comprises a drag member having a first portion coupled to the second end portion of the wiper and a second portion opposite the first portion, the drag member being movable between a stowed position and a deployed position, with the second portion of the drag member being unsecured to the inlet housing when the drag member is in the deployed position; and
- the inlet housing has a recess sized and positioned to receive the drag member in the stowed position.
- 10. (Original) The system of claim 1 wherein the wiper includes a wire.
- 11. (Original) The system of claim 1 wherein the wiper includes a strap.
- 12. (Original) The system of claim 1, further comprising an axially resilient member positioned to provide tension to the wiper as the wiper moves relative to the inlet housing during a cleaning cycle.

- 13. (Withdraw) The system of claim 1, further comprising a cleaning fluid reservoir and a fluid conduit in fluid communication with the wiper and the fluid reservoir to provide cleaning fluid to the wiper.
  - 14. (Withdraw) The system of claim 1 wherein:
  - the wiper includes a wicking material to move cleaning fluid through at least a portion of the wiper; and
  - the system further comprises a cleaning fluid reservoir in fluid communication with the wicking material.
  - 15. (Original) The system of claim 1 wherein:
  - the inlet housing further includes a first portion, a second portion, and a groove between the first and second portions; and
  - the drive assembly is configured to move the wiper from a stowed position in which the wiper is received at least partially in the groove and a deployed position in which the wiper is external to the groove.
  - 16. (Original) The system of claim 1 wherein: the lip of the inlet housing has a contour; and the wiper is flexible to generally conform to the contour of the lip.
  - 17. (Original) The system of claim 1 wherein:
    the lip has a generally annular configuration; and
    the drive system is configured to move the wiper around the annular lip.
- 18. (Original) The system of claim 1 wherein the drive assembly is configured to move the wiper relative to the inlet housing to remove material during flight at an air speed of greater than 100 mph.
  - 19. (Original) The system of claim 1, further comprising: a wing coupled to the inlet housing; a fuselage attached to the wing; and

a tail coupled to the fuselage.

- 20. (Original) The system of claim 1 wherein the wiper includes:
- a body having a carrier and a plurality of discrete cleaning elements attached to the carrier; and
- a cord coupled to the carrier and the drive assembly to move the wiper relative to the inlet housing.
- 21. (Original) An aircraft system, comprising:
- a contoured exterior aircraft surface defining a leading edge;
- a wiper having a first end portion, a second end portion, and a body extending between the first and second end portions, with at least a portion of the body contacting the leading edge; and
- a drive assembly operably coupled to at least one of the first and second end portions to move the wiper relative to the surface to remove material from the leading edge during flight at an air speed of greater than 100 mph.
- 22. (Original) The system of claim 21, further comprising an attachment device coupled to the first end portion of the wiper, wherein the drive assembly includes an annular member connected to the attachment device and a motor operably coupled to the annular member to move the annular member and the first end portion of the wiper relative to the leading edge.
  - 23. (Original) The system of claim 21, further comprising: an inlet housing including the contoured exterior aircraft surface; and an attachment device coupled to the first end portion of the wiper; wherein the drive assembly includes a cart movable within the inlet housing and operably coupled to the attachment device to move the first end portion of the wiper.
- 24. (Original) The system of claim 21 wherein the body of the wiper includes at least one of a wire and a strap.

- 25. (Original) The system of claim 21 wherein the drive assembly includes:
- a first motor operably coupled to the first end portion of the wiper to move the first end portion relative to the surface; and
- a second motor operably coupled to the second end portion of the wiper to move the second end portion relative to the surface.
- 26. (Original) The system of claim 21, further comprising:
- a wing coupled to the inlet housing;
- a fuselage attached to the wing; and
- a tail coupled to the fuselage.
- 27. (Original) An aircraft system, comprising:
- an inlet housing having a lip;
- wiping means for removing material from at least a portion of the lip during flight; and
- driving means for moving the wiping means relative to the lip, the driving means being operably coupled to the wiping means and positioned at least partially within the inlet housing.
- 28. (Original) The system of claim 27 wherein the wiping means includes at least one of a wire and a strap.
  - 29. (Original) The system of claim 27 wherein the driving means includes: an annular member coupled to the wiping means; and a motor operably coupled to the annular member to move the annular member and the wiping means relative to the lip.
- 30. (Original) The system of claim 27 wherein the driving means includes a cart movable within the inlet housing and operably coupled to the wiping means to move the wiping means relative to the lip.

- 31. (Original) The system of claim 27 wherein:
- the inlet housing further includes an interior surface and an exterior surface radially outward of the interior surface; and
- the wiping means includes a first wiping portion for wiping at least a portion of the interior surface and a second wiping portion for wiping at least a portion of the exterior surface.
- 32. (Original) An aircraft system, comprising:
- an inlet housing having an exterior surface, an interior surface radially inward of the exterior surface, and a lip surface extending between the exterior and interior surfaces:
- a wiper having a first end portion proximate to the interior surface, a second end portion proximate to the exterior surface, and a body extending between the first and second end portions, the body being flexible to generally conform to the lip surface;
- an attachment device coupled to the first end portion of the wiper; and
- a drive assembly including an annular member operably coupled to the attachment device and a motor operably coupled to the annular member to move the wiper across the inlet housing and remove insects from at least a portion of the lip surface during flight.
- 33. (Original) The system of claim 32 wherein the wiper includes at least one of a wire and a strap.
  - 34. (Original) The system of claim 32 wherein:

the attachment device is a first attachment device;

- the system further comprises a second attachment device attached to the second end portion of the wiper; and
- the drive assembly further includes a cart movable within the inlet housing and operably coupled to the second attachment device to move the second end portion of the wiper.

- 35. (Original) The system of claim 32 wherein: the lip surface has a generally annular configuration; and the drive system is configured to move the wiper around the annular lip surface.
- 36. (Original) A flow system, comprising:
- a body having a flow surface;
- a wiper having a filament; and
- a drive assembly at least partially within the body and operably coupled to the wiper to move the filament relative to the body to remove material from the flow surface.
- 37. (Original) The flow system of claim 36 wherein the filament comprises a wire.
- 38. (Original) The flow system of claim 36 wherein the flow body further comprises a leading edge.

39-46. (Cancelled)

#### <u>REMARKS</u>

In the above-referenced Office Action, the Examiner divided the claims into the following groups:

Group I, Claims 1-38, drawn to an aircraft system; and

Group II, Claims 39-46, drawn to a method of manufacturing a wiper system.

In addition, the Examiner required an election of species. During a telephone conference on August 11, 2004, the Examiner clarified that the different species are illustrated in Figures 2-9.

In response, the applicants elect Group I and the species illustrated in Figure 8, claims 1-7, 10-12 and 15-38. Applicants' attorney traverses the Examiner's assertion that no claim is generic and notes that at least claims 1, 21, 27, 32 and 36 are generic.

Upon allowance of the generic claims, applicants request consideration of claims to additional species which are written in dependent form or which otherwise include all the limitations of the allowed generic claims.

No fees are believed due with this communication. However, the Commissioner is hereby authorized and requested to charge any deficiency in fees herein to Deposit Account No. 50-0665.

Respectfully submitted,

Perkins Coie LLP

Date: Oct. 7, 2004

David T. Dutcher

Registration No. 51,638

**Correspondence Address:** 

Customer No. 25096 Perkins Coie LLP P.O. Box 1247 Seattle, Washington 98111-1247 (206) 359-8000 **Auto-Reply Facsimile Transmission** 



TO:

Fax Sender at 206 583 8500

Fax Information

Date Received: Total Pages: 10/7/2004 7:06:13 PM [Eastern Daylight Time]

13 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 306 et seq.

Received Cover Page =====>

0/07/2004 18:11 FAL	208 363 8300 PERKINS (	OIE LLP	Ø001
FACSEMILE COVER :  GONFIDENTIAL AND  If there are any probles  Control Fex Room	Sheet	II: 6 287-3505	Perkins Cole  uai Third percise July about 1999 Seat \$4, WA Shot 1999 Seat \$4, YA Shot 199 Seat \$4, YA Shot 1999 Seat \$4, YA Shot 1999 Seat \$4, YA Shot 19
DATE: October 7, 200	O4 COVER SHEET & 11	PAGE(S)	
CLIENT NUMBER <u>0300</u>	4-8110US		•
RETURN TO: (News) Make	ndy (ser)	5771 (Roose No.	4183
ORIGINAL DOCUMENT(S)	war ве: ☐ земт то уоυ       ⊠ на	eld in our files	
SEATHER:		TRIEPHONE:	FACSINILE:
Melody J. Almberg		(208) 359-6771	(208) 359-7774
ECPLENT:	COMPANY:	TREMPIONE:	FACSIMILE:
Stephen A. Holzen	USPTO - Art Unit 3644	703-306-4198	703-972-9306
	eator: Softrey D. Cronch  the Response to the Office Action a  Maton Maton	lof of Elmbare	· ·
This feet contains confidential	privileped inflormation intended only for the inte	oled address. Days and	:
no (collect) immediately or 200	e received this Pax is error, please email is back t	to the souther at perkinsonic com and	Julieto de firma sanur spettien ac cell
4954054	the state of the s	Dain LUP, 1261 Third Avenue, Surte	4800, Seettle, WA 98/91-2009.
MERL	GE BEIRING - BRELEVUE - BOISE - EWICAG O PARK - OLYMPIA - PORTLAND - SAM FAAN PORTUGE COM UP AND	G - DENTER - HONG KONE - LOS CISCO SPATFLE WASHINGTON	475444

TOUR TOTAL TOTAL TOTAL	TO JOJ OJOV T	EVVINO COTE	LLF	<del></del>	<b>核</b> 100.T
	* ****	********			
•	***	TX REPORT	***		
	****	********			
1					
	ANGRICOYON OF		·		
1R	ANSMISSION OK		;		
тх	/RX NO	2877	;		
1	NNECTION TEL	0300481101	7038729306	2	
SU	BADDRESS			•	
1	NNECTION ID		(		1
1	. TIME	10/07 16:1	0		
	AGE T S. SENT	03'20	•		ł
	SULT	13	;		
10.	5021	OK .			
			:		Dorking
					Perkins
FACSIMILE COVER S	HEET				Cole
CONFIDENTIAL AND	PRIVILEGED		,		
					1201 Third Avenue, Suite 4800
Central Fax Room:	s with this transmission, p			ı	Seattle, WA 98101-7099 hnunk 1216.359.8000
		Inion: 206 287			EAN 108/323-9000
Galland Reception:	206 359-8000 *Send	ler's name and	phone numb	er	www.pertinsceie.com
☐ Individual Floor:				i	
				1	
D.m. 0-4-5-7 000					
DATE: October 7, 200	4 COVER SHEET &	. <u>11                                   </u>	S)		
CI TENTI NUMBER: 02004	9440110				
CLIENT NUMBER: 03004	<u>-0119US</u>				
RETURN TO: (NAME) Melo	dv	(Ехт.) <u>677</u>	1		4402
101010. 10. (112mb) <u>Intero</u>	иу	(EXT.) <b>077</b>		(ROOM No.)	4183
ORIGINAL DOCUMENT(S)	WILL BE: SENT TO YOU	HELD IN	OUR FILES		
	<del></del>				·
SENDER:	·····				
<del></del>			TELEPHONE		FACSIMILE:
Melody J. Almberg			(206) 359-	6 <b>771</b>	(206) 359-7771
RECIPIENT:	Corporati				
	COMPANY:		TELEPHONE		FACSIMILE:
Stephen A. Holzen	USPTO - Art Unit 364	14	703-306-4	198	703-872-9306
7.					
RE: U.S. Application	No. 10/785,453				
Filed: February	23, 2004 Intor: Jeffrey D. Crouch			ı	
A 11 St I Vanied XIIVE	Mor. Senrey D. Crouch				
Transmitted herewith is t	he Response to the Office	Action mailed	July 16. 20	04	
	-				
Dated: 10 7 04		Mas C	1 KIR	na ha	
PAICU.   ' ( T			1 4 1	FF F14-	
		Melody J.	14 14	mberg	



#### **FACSIMILE COVER SHEET** CONFIDENTIAL AND PRIVILEGED 1201 Third Avenue, Suite 4800 If there are any problems with this transmission, please call: Seattle, WA 98101-3099 Central Fax Room: 206 359-8575 505 Union: 206 287-3505 PHONE, 206,359,8000 FAX: 206.359.9000 Galland Reception: 206 359-8000 Sender's name and phone number www.perkinscole.com ☐ Individual Floor: DATE: October 7, 2004 COVER SHEET & 11 PAGE(S) CLIENT NUMBER: **03004-8110US** RETURN TO: (NAME) Melody \_\_\_\_ (Ехт.) **6771** \_\_\_ (ROOM No.) <u>4183</u> ORIGINAL DOCUMENT(S) WILL BE: SENT TO YOU HELD IN OUR FILES SENDER: TELEPHONE: FACSIMILE: Melody J. Almberg (206) 359-6771 (206) 359-7771 RECIPIENT: COMPANY: TELEPHONE: FACSIMILE: Stephen A. Holzen USPTO - Art Unit 3644 703-306-4198 703-872-9306

RE:

U.S. Application No. 10/785,453

Filed: February 23, 2004

First Named Inventor: Jeffrey D. Crouch

Transmitted herewith is the Response to the Office Action mailed July 16, 2004...

Dated: 10 7 04

Melod J Almberg

This Fax contains confidential, privileged information intended only for the intended addressee. Do not read, copy or disseminate it unless you are the intended addressee. If you have received this Fax in error, please email it back to the sender at perkinscoie.com and delete it from your system or call us (collect) immediately at 206.359.8575, and mail the original Fax to Perkins Coie LLP, 1201 Third Avenue, Suite 4800, Seattle, WA 98101-3099.

#### RECEIVED CENTRAL FAX CENTER

Attorney Docket No. 03004-8110US **CLIENT REF No. 03-0716** 

OCT 07 2004

I hereby certify that this correspondence is being transmitted via facsimile to the United States Patent and Trademark Office at (703) 872-9308, on:

**PATENT** 

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: JEFFREY D. CROUCH ET AL.

APPLICATION NO.:

10/785,453

FILED: FOR:

**FEBRUARY 23, 2004** 

**METHODS AND SYSTEMS FOR** 

REMOVING MATERIAL FROM AIRCRAFT FLIGHT SURFACES

STEPHEN A. HOLZEN **EXAMINER:** 

3644 ART UNIT:

8540 CONF. NO:

#### Amendment in Response to Restriction Requirement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated July 16, 2004, please amend the application as reflected in the following listing of claims.

Adjustment date: 01/31/2005 SDIRETAL

10715/2004 RBALTIMD 00000003 500665 10785453

01 FC:1252

430.00 CR

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

D	efects in the images include but are not limited to the items checked:
	☐ BLACK BORDERS
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
	☐ FADED TEXT OR DRAWING
	☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
	☐ SKEWED/SLANTED IMAGES
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
	☐ GRAY SCALE DOCUMENTS
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT
	REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	Потикр.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.